



STONE
SENSES
EXCLUSIVE COLLECTIONS

Almora - Morocco

'The perfect of imperfect'





Headquarters in Oostkamp (Bruges), Belgium, founded in 2000 by Julien Vanhollebeke.

Over thirty years of experience in the world of stone and ceramics was used to establish joint ventures with various companies abroad. New products with special niches are created by combining knowhow and specialised machinery.

Today, Stone Consulting is active in Asia, including China, India, Vietnam and Indonesia, and in North Africa, including Tunisia and Morocco.

On our website you will find information about the products we currently stock in our warehouses. Customers can check our available stock online via the website and place their order in real time.



We have developed a unique track and trace system for customers who purchase containers directly from our various partners. This programme allows customers to track the containers from order to delivery by means of an online logbook. At our companies abroad, a team is permanently at your disposal to ship the materials in the fastest and most suitable conditions and deliver them to their final destination all over the world.

After a successful start in 2000, a new milestone was inevitable. In 2010, all the special materials were brought under the branch name 'STONE SENSES'.



Julien Vanhollebeke
(CEO, Founder)

Stone Consulting nv
Gaston Roelandtsstraat 16
8020 Oostkamp Belgium
tel. +32(0)50 301410

info@stoneconsulting.eu
www.stoneconsulting.eu

Contents

Introduction - Contents	p.1 - p.2	ALMORA BLEND STONE	p.57 - p.58
ALMORA SINGLE STONE	p.3 - p.4	Fez	p.59 - p.62
T.A.B. - Limestone - Sahara - Louvre	p.5	Fez - Outside (after 10 years)	p.63 - p.64
T.A.B. - Limestone - Different finishings	p.6	Athena	p.65 - p.66
T.A.B. - Limestone - Cathedrale	p.7	St. Emillion	p.67 - p.72
T.A.B. - Limestone - Manoir	p.8	Vieux Patrimoine - Dalle St. Julien	p.73 - p.74
T.A.B. - Limestone - Century - Select	p.9 - p.10	Château St-Julien	p.75 - p.76
T.A.B. - Limestone - Brushed - Select	p.11	St. Michel	p.77
T.A.B. - Limestone - Natural split	p.12	Old heritage beige	p.78
T.A.B. - Limestone - Vibrated - Cobbles	p.13 - p.14	Posedano	p.79 - p.90
T.A.G. - Limestone - Different finishings	p.15	Yanis	p.91
T.A.G. - Limestone - Century	p.16	Zefrou - Pavers	p.92
T.A.G. - Limestone - Loft	p.17 - p.18	Volubelis - Kahla • Avallon	p.93
T.A.G. - Limestone - Castle stone	p.19 - p.20	Amazone Beige • Grey	p.94 - p.95
T.A.G. - Limestone - Tumbled - Cobbles	p.21	Opus pattern 406	p.96
T.J.H. - Limestone - Century	p.22	Pool Borders	p.97 - p.98
T.J.H. - Limestone - Different finishings	p.23	Pool Borders - Technical sheets	p.99 - p.100
Z.O.B. - Limestone - Sahara	p.24	Pool Borders - Drawing	p.101 - p.102
Z.O.B. - Limestone - Berber (Var)	p.25 - p.26	Technical sheet - Roman bath	p.103 - p.104
Z.O.B. - Limestone - Cathedrale	p.27	Stairs	p.105 - p.106
Z.O.B. - Limestone - Wall stone - Erosion	p.28	Borders - Wall caps - Block stairs	p.107 - p.108
Z.O.B. - Limestone - Sink - Leather	p.29	Sinks • Shower plates	p.109 - p.110
Z.O.B. - Limestone - Stair - Leather	p.30	Fountains	p.111 - p.112
K.A.H. - Limestone - Different finishings	p.31 - p.32	Blocks • Slabs	p.113 - p.114
Test results	p.33 - p.34		p.115 - p.116
Z.A.G. - Limestone - Own quarry	p.35 - p.38	Factory - Zefrou - Morocco	p.117 - p.118
Z.A.G. - Limestone - Different finishings	p.39	Packing	p.119 - p.120
Z.A.G. - Limestone - Century	p.40	Visit our website and order online	p.121 - p.124
Z.A.G. - Limestone - Old Heritage	p.41 - p.42	Download more brochures.	p.125 - p.126
Z.A.G. - Limestone - Old Heritage - inside	p.43 - p.44	General conditions	p.127
Z.A.G. - Limestone - Antiquaire - inside	p.45	Installation and maintenance	p.128
Z.A.G. - Limestone - Manoir - outside	p.46	General terms of orders	p.129 - p.130
Z.A.G. - Limestone - Ourika	p.47 - p.50		
S.A.R - Travertin - Different finishings	p.51 - p.52		
S.A.R - Travertin - Cathedrale	p.53 - p.54		
K.N.F. - Limestone - Different finishings	p.55 - p.56		

ALMORA - SINGLE STONE

“The perfect of imperfect”



T.A.B. - Limestone



6279

T.A.B. - Sahara - Louvre

T.A.B. - Limestone



5872

Sahara



4035

Erosion



3464

Loft



3375

Manoir



3375

Calima - B



3879

Leather



3878

Cathedrale




Century H



3882


Natural Split

T.A.B. - *Limestone*



T.A.B. - Cathedrale

T.A.B. - *Limestone*



T.A.B. - Manoir

T.A.B. - Limestone



T.A.B. - Century - Select

T.A.B. - Limestone



T.A.B. - Century - Select

T.A.B. - *Limestone*




T.A.B. - Brushed - Select

T.A.B. - *Limestone*



T.A.B. - Natural split


T.A.B. - *Limestone*



3873

T.A.B. - Vibrated - Cobbles - 150 x Fl x 20 mm

T.A.B. - *Limestone*



5798

T.A.B. - Vibrated - Cobbles - 150 x 150 x 20 mm

T.A.G. - Limestone



Sahara



Erosion




Loft



Manoir - Bar




Calima - B



Leather



Cathedrale




Century



Natural Split

T.A.G. - Limestone



T.A.G. - Century

T.A.G. - Limestone



T.A.G. - Loft



T.A.G. - Chiseled

T.A.G. - *Limestone*

T.A.G. - *Limestone*



T.A.G. - Castle stone

T.A.G. - *Limestone*



5531

T.A.G. - Tumbled - Cobbles - 150 x Fl x 20 mm

T.A.G. - *Limestone*




T.A.G. - Century - 150 x Fl x 20 mm

T.J.H. - Limestone


T.J.H. - Limestone



Sahara



Erosion



Manoir



T.J.H. - Sahara

Z.O.B. - Limestone



Sahara



Erosion



Loft



Manoir



Calima - B



Leather



Cathedrale




Century



Berber

Z.O.B. - Limestone




Z.O.B. - Berber (Var)

Z.O.B. - *Limestone*




Z.O.B. - Cathedrale

Z.O.B. - *Limestone*




Z.O.B. - Wall stone - Erosion

Z.O.B. - Limestone



Z.O.B. - Sink - Leather

Z.O.B. - Limestone



Z.O.B. - Stair - Leather

K.A.H. - Limestone

Own quarry



Honed



Brushed



Century H



Sirocco B

Test results

MOD 66a Rev. 03



AZIENDA CON SISTEMA DI GESTIONE QUALITÀ CERTIFICATO DA DNV GL

PETROGRAPHIC EXAMINATION - NATURAL STONE TEST METHODS

Standard UNI EN 12407

This Test Report is issued in English on request of the Client. The original Italian version exists.

DATE OF THE TEST REPORT	04/07/2017	N° OF TEST REPORT	16897-237-279	
CLIENT	PROMOMARBRE	SAMPLE	1	UNI EN 1341, 1342, 1343, 1469, 12057, 12058
DATE OF SAMPLING	07/04/2017	SOURCE OF SAMPLING	From pallets	
DATE OF DELIVERY	27/04/2017	ADDRESS	Zone Industrielle AIN ATIQ, Marocco	
Name of the Supplier	Client			
BEGINNING OF THE TEST	12/05/2017	END OF THE TEST	01/06/2017	CONDIZIONI METEO
				Sereno
Petrographic Name of the stone	Litharenite	Commercial Name of the stone	Kahla Grey	
Country and region of extraction	Morocco	Surface finish of the sample	Polished	

MACROSCOPIC DESCRIPTION

	It is a sedimentary rock massif and compact with abundant bioclasts. It has gray colour with bioclasts whose colour can change from white and black. Its colour changes from Light olive gray 5Y 6/1 and Pale yellowish brown 10YR 6/2 with spots of Olive gray 5Y 4/1 and of Med dark gray 4N according to the Rock Color Chart of the Geological Society of America. The rock is medium coarse grained and its main constituents are abundant bioclasts littler than 1 cm heterogeneously oriented. Some closed stylolitic joints and micro-pores heterogeneously widespread are present as well. The material looks not weathered, it reacts intensely when in contact with hydrochloric acid and can be scratched with a metallic tip.
---	--

MICROSCOPIC DESCRIPTION (thin section)

	It is a sedimentary rock formed in transitional high energy area, between the zone of carbonate sediments and siliciclastic ones. It has heterogeneous texture with compositional patches, massive. Its texture is mixed changing from organic-sedimentary, politic and clastic. The constituents of the rock are usually littler than 6 mm, only few clasts can be up to sub centimetric. The support is granular. Allochemical components are of various types: bioclasts such as: fragments of bivalves, brachiopods, echinoderms; algae and foraminifera maybe also agglutinating; peloids, ooids, also with terrigenous nucleus; aggregate grains; intraclasts.
	Terrigenous components are littler than 0.5 mm and are composed of quartz, flint fragments, rare feldspars, terrigenous lithoclasts such as marble fragments from sub angular to sub rounded, sometimes with dolomitic carbonate; micritic lithoclasts with organogenic tritume, biosparite and oosparite fragments, compact sandstones with quartz clasts littler than 0,1 mm. The ortochemical constituent is sparite while no micrite can be seen.
DISCONTINUITY:	few intergranular and intragranular pores are scattered into the sections and closed stylolitic joints are present too.
ALTERATION:	not one
PETROGRAPHIC DEFINITION (EN12407 e EN12670):	LITHARENITE (Folk, 1974) LITHIC ARENITE (Pettijohn at al., 1972) (Sedimentary Rocks Classification Charts)
COMMERCIAL NAME:	KAHLA GREY

Page 1 of 2

CET-SERVIZI RICERCA E SVILUPPO S.R.L.
Sede legale: Loc.Secchiello 7, 38060 Isera (TN) - Cod.Fiscale e P.Iva: IT 01880560220
Tel: 0464-486344 Fax: 0464-458078 E-mail: info@cet-servizi.it PEC: cetservizi@pec.cet-servizi.it

MOD 64 Rev. 05



AZIENDA CON SISTEMA DI GESTIONE QUALITÀ CERTIFICATO DA DNV GL

DETERMINATION OF APPARENT DENSITY

NATURAL STONE TEST METHODS

Standard UNI EN 1936

This Test Report is issued in English on request of the Client. The original Italian version exists.

DATE OF THE TEST REPORT	04/07/2017	N° OF TEST REPORT	16897-237-277	
CLIENT	PROMOMARBRE	SAMPLE	1	UNI EN 1469 - 12057 - 12058
DATE OF SAMPLING	07/04/2017	SOURCE OF SAMPLING	From pallets	
DATE OF DELIVERY	27/04/2017	ADDRESS	Zone Industrielle AIN ATIQ, Marocco	
Name of the Supplier	Client			
BEGINNING OF THE TEST	22/05/2017	END OF THE TEST	24/05/2017	WEATHER CONDITIONS
				Clear

Petrographic Name of the stone	Litharenite
Country and region of extraction	Morocco
Commercial Name of the stone	Kahla Grey
Surface finish of the sample	Sawn surface

Form and size of the specimens: prism (180x60x30) mm

Apparent volume: 324 ml (> 60 ml)

Ratio surface / volume: 0,11 mm⁻¹ (between 0,08 mm⁻¹ and 0,20 mm⁻¹)

Water temperature in °C: 21,2 Water density (kg/m³): ρ_h 998

Specimen n°	Mass of the dried specimen (g) m _{di}	Mass of the saturated specimen (g) m _{si}	Mass of the specimen immersed in water (g) m _{hi}	Apparent density (kg/m ³) ρ _{bi}	Open porosity (%) ρ _{oi}
1	878,97	884,22	554,96	2.664	1,59
2	885,80	892,56	558,91	2.650	2,03
3	885,35	890,72	559,16	2.665	1,62
4	875,98	883,64	552,42	2.639	2,31
5	879,92	885,59	555,61	2.661	1,72
6	876,21	884,25	553,06	2.640	2,43

$$\rho_b = \text{Average } \sum \rho_{bi} = \text{Average } \sum [m_{di}/(m_{si}-m_{hi})] \times \rho_h = 2.653 \text{ kg/m}^3$$

$$\rho_o = \text{Average } \sum \rho_{oi} = \text{Average } \sum [(m_{si}-m_{di})/(m_{si}-m_{hi})] \times 100 = 1,95 \%$$

where ρ_b is the average apparent density, in kilograms for cubic metre.

ρ_o is the open porosity expressed by the ratio of the volume of open pores and the apparent volume in %.


This Test Report refers only to the tested samples.

This Test Report may not be reproduced except in full, without the prior written permission of the CET SERVIZI laboratory.

Note:

Detail: Sampled by the client.

Il tecnico
Manfredi Marco



CET-SERVIZI RICERCA E SVILUPPO S.R.L.
Sede legale: Loc.Secchiello 7, 38060 Isera (TN) - Cod.Fiscale e P.Iva: IT 01880560220
Tel: 0464-486344 Fax: 0464-458078 E-mail: info@cet-servizi.it PEC: cetservizi@pec.cet-servizi.it

Z.A.G. - Limestone
Own quarry


Z.A.G. - Limestone
Own quarry



Z.A.G. - Limestone
Own quarry



Z.A.G. - Limestone
Own quarry



Antiquaire




Loft



Sirocco FWB




Century



Leather



Sirocco SWB



Manoir



Old Heritage

Z.A.G. - Limestone
Own quarry




Z.A.G. - Century

Z.A.G. - Limestone
Own quarry



Z.A.G. - Old heritage

Z.A.G. - Limestone
Own quarry



Z.A.G. - Old heritage

Z.A.G. - Limestone
Own quarry



5674


Z.A.G. - Old Heritage - inside

Z.A.G. - Limestone
Own quarry



Z.A.G. - Antiquaire - inside

Z.A.G. - Limestone
Own quarry



Z.A.G. - Manoir - outside

Z.A.G. - *Ourika** - Limestone
Own quarry



Z.A.G. - Ourika - Loft - *special for **outside**

Z.A.G. - *Ourika** - Limestone
Own quarry



Z.A.G. - Ourika - Bayadere - Century - *special for **outside**

Z.A.G. - *Ourika** - Limestone
Own quarry



Z.A.G. - Ourika - Pavers - Century N - *special for **outside**

Z.A.G. - *Ourika** - Limestone
Own quarry



Z.A.G. - Ourika - Bayadere - Erosion - *special for **outside**

S.A.R - Travertin



Leather



Bushhammered



Cathedrale

S.A.R - Travertin



S.A.R. - Leather

S.A.R - *Travertin*



handmade


S.A.R. - Cathedrale

K.N.F. - Limestone


K.N.F. - Limestone




K.N.F. - Leather



Antiquaire



Leather



Cathedrale


ALMORA BLEND STONE

“The perfect of imperfect”




ALMORA BLEND STONE

“The perfect of imperfect”



Fez



4372

handmade

T.A.B. + T.A.Br + T.A.G. + Z.O.B.

Fez




4372

handmade

T.A.B. + T.A.Br + T.A.G.


Fez



handmade

T.A.B. + T.A.Br

Fez



T.A.B. + T.A.Br

Fez - Outside (after 10 years)



T.A.B. + T.A.Br

Athena




3462

handmade

T.A.B. + T.A.Br + Z.O.B.

Athena



3462

handmade


T.A.B. + T.A.Br + Z.O.B.

St. Emillion




T.A.B. + T.A.Br.

St. Emillion




St. Emillion



T.A.B. + T.A.Br.

St. Emillion



T.A.B. + T.A.Br.

St. Emillion



3839

T.A.B. + T.A.Br.


Vieux Patrimoine Dalle St. Julien



6221

T.A.B. + T.A.Br. + Z.O.B.


Opus pattern




- A: 406x271 mm / 3 pcs
- B: 541x271 mm / 4 pcs
- C: 406x406 mm / 2 pcs
- D: 406x541 mm / 4 pcs
- E: 406x676 mm / 4 pcs
- F: 541x676 mm / 2 pcs
- G: 406x817 mm / 3 pcs

Total = 22 pcs

Opus 4,95 sgm



Dalle Vieux Patrimoine
Dalle St. Julien




Version 406

Château St-Julien



T.A.B. + T.A.Br. - Manoir cathedrale


St- Michel



handmade

T.A.B. + T.A.Br.

Old heritage beige



4889


handmade

T.A.B. + T.A.Br. + Z.O.B.

Posedano - Roman period - 168 AD



Posedano - Roman period - 168 AD




Posedano - Morocco - 2019 AD



Posedano - Morocco - 2019 AD




Posedano



T.A.B. + T.A.Br. + Z.O.B.

Posedano




T.A.B. + T.A.Br. + Z.O.B.

Posedano




Posedano - Crazy randoms




T.A.B. + T.A.Br. + Z.O.B.

Posedano




T.A.B. + T.A.Br. + Z.O.B.


Posedano - Crazy randoms



Posedano




Yanis



T.A.B. + T.A.G. - Vibrated - Bayadere

Zefrou - Pavers



Volubelis - Kahla



Volubelis - Avallon




Amazone Beige



Amazone Grey



Opus pattern 406



Amazone Beige



Poolborders



Type 5

Type 3



Type 1










Type 2




Type 4

Poolborders - Technical sheets




Type 3


Drawing pool borders



Drawing pool borders



Technical sheet - Roman bath



Stairs



T.A.B. - Sahara - Type 8



Type 7



Type 8



Type 9

Borders - wall caps - block stairs



T.A.B. - Posedano - BS Type 2

Borders - wall caps - block stairs



BO - Type 1



BO - Type 2



BO - Type 3



WC - Type 1



WC - Type 2




BS - Type 1

Sinks



T.A.B.

Shower plates



T.A.B.

Fountains



Fountains



Blocks



Slabs



Factory - Zefrou - Morocco



Factory - Zefrou - Morocco



Packing



Packing



Visit our website and order online.




Step 1:

Go to www.stoneconsulting.eu and enter username and login.
Your personal username and login can be requested via our website
- click 'register'.

It's simple and easy!

Visit our website and order online.



Step 2:

Once logged in you can consult your personal pricelist.

www.stoneconsulting.eu

Visit our website and order online.

The screenshot shows the Stone Consulting website interface. At the top, there are language options (Nederlands, Français, English, Deutsch) and a search bar. The main header features the company logo and a navigation menu with links to Home, Company, News, CE - DOP, Links, Brochure, References, and Contact. A welcome message for Andrew Brindle is displayed. The main content area is titled 'Morocco' and shows a list of products with their descriptions, prices, and stock status. The products are:

Product	Price (excl. VAT)	Stock Status
MAR - JAUNE - CENTURY H - OPUS 1.44X20	€ 36,25 / m2	In stock
MAR - MACHALOT - CENTURY H - 400X600X15	€ 34,49 / m2	In stock
MAR - MACHALOT - CENTURY H - OPUS 1.43X15	€ 30,00 / m2	In stock
MAR - PM - AMAZONE - CENTURY H - OPUS 1.44X15	€ 25,00 / m2	In stock

These prices are exclusive unit prices

Step 3:
Consult our current stock in your personal pricelist and order directly online.

It's simple and easy!

Visit our website and order online.

The screenshot shows the Stone Consulting website interface with the shopping cart. The cart contains one item:

Description	Price (excl.)	Quantity	Total (excl.)	VAT
14400020900002 MAR - JAUNE - CENTURY H - OPUS 1.44X20	€ 36,25	1	€ 36,25	21.00%

Total

Total (excl. VAT)	€ 36,25
VAT	€ 7,61
Total (incl. VAT)	€ 43,86

Buttons: Save this order, To checkout

Step 4:
Checkout. Your order is ready to be shipped!

www.stoneconsulting.eu

Download more brochures of our exclusive stones by clicking on the cover.



Download more brochures of our exclusive stones by clicking on the cover.



ETHICAL TRADING & HEALTHY ENVIRONMENT POLICY

- Employment is freely chosen with no forced, bonded or involuntary labor.
- Workers have the right to join or form trade unions of their own choice and to bargain collectively.
- A safe and healthy working environment is provided.
- Child labor is not engaged.
- Wages always enough to meet basic needs and to provide some discretionary income.
- Working hours are not excessive and comply with national laws and benchmark industry standards.
- Workers are treated equally regardless of race, caste, national origin, religion, age, gender, marital status sexual orientation, union membership or political affiliation.
- Regular employment for individuals is provided where work is ongoing.
- No harsh or inhumane treatment of workers.
- Physical abuse (or threat of) other harassment including verbal abuse or intimidation prohibited.

Owing a great deal to society, Our group firmly believes that 'human beings are at centre of all the developmental activities' and hence it discharges its social responsibility for welfare and well-being of the employees and society at large and at the same time encourages Employee Volunteering leading to employee's satisfaction and corporate sustainability.

General conditons

1. General information relating to our products

Optical variations and nuances in colour may occur compared with the exhibited or illustrated products in our catalogue or on the exhibited sam- ples at our distributors. Changes in colour may occur due to climatological influences. Veins, pores and hairline cracks are an integral part of the surface of natural stone and are not a reason to complain or reject the products, or for a reduction in price. the names of the products are also in no way related to the geographical origin.

2. Information about specific products in our range

For all products delivered loose or in big bags, as well as all products delivered in crates, we can only give indicative gures calculated on the average or the indicative weight. Reasons beyond our control (such as rain, snow, irregular cobble thicknesses) may a ect the number of pieces per m² and the weight/tonne. We are therefore unable to accept any complaints if the di erence is less than 5% compared with the indications given by us. If the di erence is greater than 5% to the detriment of the customer, we can only accept your complaint with the approval of the sales department. For grey Kandla cobbles, it is possible that a er being installed, some of the cobbles display beige or brown marks. is is a natural phenomenon speci c to grey Kandla stone and does not a ect the quality of the stone. is phenomenon will quickly decrease a er several periods of frost.

Products of a certain length (such as marginal strips, palisades, steps, etc.) are more di cult to produce without minor repairs with a repair cement on a synthetic base. These minor repairs are perfectly acceptable in the world of natural stone and therefore give no grounds for complaint.

Honed tiles are much more susceptible to scratches. We therefore recommend using protective caps beneath your garden furniture, barbecue, etc.

3. Advice prior to ordering

An important tip: always order 5% more material than you have measured for.

there can be up to 5% breakage or dimensional variation in every order of natural stone. Broken tiles can always be used where cut tiles are required and are therefore not wasted. Be sure therefore to order extra to allow for this breakage. Any back-orders are entirely at the buyer's expense. Broken tiles should always be kept available. e larger the tiles, the more cutting may be required. Bear this in mind. An advance payment of 50% must be paid for orders of special custom work not in our normal range. Also, these special orders may not be cancelled.

Delivery dates for items not in stock are indicate and dependent on in uences over which Stone Consulting (Stone Senses) has no control. You are not entitled to cancel the order if these indicative delivery dates are exceeded.

To minimise colour and dimensional variations, we recommend installing orders in one go so that the work can be carried out in one go. For larger sites we recommend ordering 3 months in advance so that the material can be produced and delivered all at once.

4. Product returns

Collected or delivered products are never taken back, except in the case of an error on the part of Stone Consulting (Stone Senses).

Exceptions can only be allowed with the written consent of our sales department. All returned products are reduced by 20% in value and should be in perfect condition and in the original packaging. Any costs incurred by the return (transport, pallets in poor condition, etc.) are invoiced in full.

Installation and maintenance.

1. Installation tips - **ATTENTION: INSTALLATION = ACCEPTANCE OF THE PRODUCTS**

Dimensional variations in relation to the locally prevailing standard may occur in natural stone. e national standards of the country of origin may di er from European standards. ere should not be any problems if the products are installed as prescribed by the BBRI in Belgium or other equivalent local regulations. e tiles should always be inspected and cleaned prior to installation. Once the product has been installed, no further complaints will be accepted. During installation, please always mix products from di erent packs together to obtain a natural variation in colour. Only white cement and pure washed sand must be used. Natural stone has a certain porosity, and the stones may discolour or display marks if yellow or red sand and grey cement are used. On a watertight base, always maintain a gradient of 1.5 cm / running metre. Complaints will only be considered if the complaint is visible from at least 2 metres without backlight and the products are dry. Any complaints must be made in writing to Stone Consulting (Stone Senses) within 8 days of delivery.

We also recommend taking photos and not using these products. We consider the products to have been approved from the time they are installed, and from that point on we will also no longer accept any complaints due to visible defects.

Hidden or invisible complaints that cannot be identi ed on delivery are declared no longer admissible 3 months a er the date of delivery. Our teams can no longer visit the site without having rst received photos. Our many years of experience have taught us that many problems can be resolved straightaway over the phone with the help of photos and one or two useful questions.

2. Tips for joints

We always advise installing all stones with a joint of at least 4 mm. Any dimensional tolerances and stresses associated with di erences in tempera- ture can thus be avoided. If installing on split, a 2 mm joint is su cient. e choice of joint and joint sealer should be determined before installing the tiles. e base and joints should have the same porosity. If you opt for non- exible joints, expansion joints should be provided at each wall. For large terraces we recommend installing expansion joints every 5 metres. If you are planning a screed or caisson in concrete, you should also plan the same expansion joints as for your tiles.

We advise against adding aggregates to your joint mixture. Certain aggregates prevent moisture from evaporating and can therefore cause marks on your tiles. Certain joint mortars leave traces on your tiles, so carry out a test before applying the mortar to the entire surface (see result a er 24 hours). In this way you will avoid unpleasant surprises when cleaning a er jointing.

3. Tips for installing certain products.

Travertine-type limestone for outdoor use (thickness 3 cm) is much more sensitive to meteorological changes and must therefore be glued accord- ing to the butter principle (i.e. glue bottom of tile and screed along both sides). e gradient of 1.5 cm per running metre must be maintained. For the joints we recommend ragging them with a ready-to-use product based on white cement, or with a mixture based on white cement. Ragging should be done with a puller to compact all the small holes in the tile. A er drying, we recommend applying a double protective coating to saturate all the pores in the tiles.

Cleaning should be with a nourishing non-acid soap of the Marseille type.

For lime rocks (e.g. bluestone, slate, travertine, etc.) we recommend installing these on a thin sand cement and never on a bed of gravel, which could break the stones. We strongly advise against installing these tiles on tile supports. If you are installing large tiles (more than 40/40) on tile supports, we recommend using an extra tile support in the centre beneath the tile.

Rustic tiles are aged in a drum instead of by vibration to give a rustic appearance. It is therefore normal for small pieces to have broken o the edges and surface.

4. Tips for maintenance

De-icing salts, acids or other aggressive products are not recommended on natural stone as they could damage the tiles irreparably.

We always recommend testing a maintenance or protective product on a small area rst (see the result a er 24 hours). ere are various types of natural stone and as many maintenance products that could damage your tiles.

Limestone (bluestone, slate, travertine, etc.) ages much more quickly than harder types of stone such as sandstone or granite. Limestone therefore requires more maintenance if you want to prevent the rapid ageing of your stone or the emergence of tiny hairline cracks. To counter this ageing process, the stone must be nourished with speci c maintenance products for natural stone or with a natural soap (Marseille soap).

Besides this classic but necessary maintenance, you can gently scour your terrace every 4 years. is ensures that the pores are largely compacted (so fewer scratches appear) and the colour is refreshed. However, the tiles still require regular maintenance and nourishment. The Stone Consulting (Stone Senses) guarantee is limited to technical defects, provided a minimum degree of maintenance is observed. Stone Consulting (Stone Senses) cannot be held responsible for the aesthetic development of your project. All materials (natural or other) should receive normal maintenance to maintain their beauty.

General terms of orders

GENERAL TERMS OF ORDERS

According to information mentioned hereby (on this side or the reverse side) we have established this order Form as Our Sales conditions. All prices mentioned are VAT and packing exclusive. In case of quantities below 50 m², a supplement will be charged as per our price list. The delivery time will be defined as accurately as possible. However, we cannot be held liable for any delays caused by force majeure or overdue invoices. Consequently we do not have any responsibility for any damages. We can deliver slabs (if you are in the regions defined in our price list) with a minimum quantity of 10 pieces or less provided a supplement is paid. We will invoice packing of tiles per crate and or pallet as per the conditions in our price list. Overordered or wrongly ordered goods will not be taken back. Custom work will be packed to allow for safe transportation. These costs. At a minimum rate as per our price list, cannot be recovered or credited. All delivery addresses need to be fully accessible by our 33 ton truck measuring 19m. Discharging our truck is only done from a paved road. Any other delivery conditions or expectations will be, if at all feasible, charged at an extra cost. In case of orders of goods that are not currently stocked or that have a delivery time of over 4 weeks, we may ask you to pay a deposit of 50% of the total value. The remainder needs to be paid upon delivery without discount. Orders for not currently stocked products cannot be changed or cancelled after one week of order confirmation. Please do not change the Pro Forma invoice, otherwise we may refuse these changes without prior notice. Confirmed orders will be binding without further notice after 5 working days. In case of cancellation we will invoice 30% of the total value in case of stock goods and 100% of the total value in case of custom work and not currently stocked products with a minimum of 370 €.

GENERAL TERMS OF SALE

1. Orders are considered to be definitive after written confirmation by our company. It is explicitly agreed upon that all pre-printed terms and conditions on the order forms of our customers, even if they expressly refer to the present order form, shall be considered non accepted unless they are subject to a special agreement made in written on beforehand.
2. The goods are transported at the risk of the purchaser, even in case of Franco delivery.
3. Control of the goods is made by the purchaser before loading in the case of collection of the goods (ex Works) and shall be done at the latest at the moment of delivery (unloading). Complaints shall not be accepted afterwards.
4. All other complaints, ... referring to invoices, shall be made within eight days of the invoicing date and can not be accepted after this term.
5. Each sale is made under reserve of good references. We shall always be entitled, during the course of the agreement, to claim and obtain satisfactory guarantees for the good execution of the Sales agreement.
6. Measurements and colours are indicative and a difference shall be tolerated against samples or between deliveries as long as these differences are within the fixed WTCB norms. We advise to mix the tiles before installation, so as to obtain the best possible colour harmony. Complaints as to colour differences or other defects shall never be admitted after installation of the tiles.
7. All our invoices are cash payable, in Oostkamp, unless otherwise agreed upon (in written). Sending the invoice is valid as a reminder against payment on the due date. Any delay in payment may consequent in immediate and irreversible judicial collection of the due sum, increased by 1% interest per started month.
8. Our agents and representatives are not be entitled to take payments and the amounts paid to those persons shall not be considered as due payment to the seller.
9. All costs for collection, including judicial and extra-judicial notices, shall be paid by the purchaser according to the latest EU legislation.
10. Default of payment on the maturity date shall entitle us, without any notice or other juridical forms, to suspend all orders and agreements in course, even to cancel them without any previous notice. The seller shall be entitled to take property of the goods, even after delivery, until full payment of the invoice. After processing of the goods, our property rights pass on to the new objects for the value of the goods supplied by us.
11. Any defect ascertained in our product scan result in nothing more than the mere replacement of the delivered and not processed goods. The replaced goods remain our property.
12. All goods subject to be taken back need to be in good condition and will only be credited at 75% of their invoiced value provided the explicit approval of our management staff. Goods that are not standard in stock, all granites and all processed stones are never taken back. We will also refuse any quantities amounting to a Total of less than 250 €. Only goods that are totally free from mortar or glue residue, that have not been cut, will be credited after warehouse inspection. This may cause a discrepancy in the Total number of goods taken back and the final credit note, these goods that are not included to the Total amount of the credit note, will remain in our warehouse for another 4 weeks for the customer to be collected. After this period these goods will be destroyed. Taking goods back will be conditional in all cases. Our drivers and warehouse staff are not entitled to Judge if goods are subject to be taken back. In case of refusal to take back the goods, these will

remain at your availability for a period of 4 weeks after written notice. After this term the goods will be destroyed.

13. In default of payment at the maturity date due to negligence or bad will, the outstanding balance shall be increased as of right with 15 % and a minimum of €100 as a conventional damage clause and without any previous notice being required.

14. The purchaser is considered to know our general terms of sale and by the mere fact of purchasing the goods is considered to have accepted them as part of the agreement.

15. All disputes related to the existence and the Of our agreements shall be exclusively settled by the Courts of Brugge, Belgium.

16. We can not be held responsible for the consequence of our tiles if they are installed on floor-heating and spaces open to frost.

17. For between customer (buyer) and STONE CONSULTING NV (seller) it is explicitly agreed that the liability on the delivered goods by STONE CONSULTING NV is limited to all proven defects to its products, more precisely on the hidden flaws, to a maximum period of 24 months after delivery date. After a period of 24 months from installation date, no claim of any kind will be accepted nor be subject for discussion. After this period any connection between buyer and seller will be considered to be completely terminated and finalised for this particular Sales. In case of proven damage, within a period of 24 months from delivery date, due to a hidden fault, a maximum compensation from the seller to the buyer will be the replacement of the product or an equal value. No other additional cost and/or costs due to consequential damages will be subject to compensation.

18. Pieces made by us (tailor made) shall be invoiced per square, cubic or linear metre. All finishing's to the surface and sides are not included and will be invoiced separately.

19. For complementary terms and conditions please refer to our basic price list on the pages where to the invoices and other forms always considered to be known by the purchaser. The basic price list having been handed over to the purchaser.

20. Belgium law is applicable.





STONE
SENSIES

EXCLUSIVE COLLECTIONS

Member of



belgian natural stone federation



Powered by:

www.stoneconsulting.eu

info@stoneconsulting.eu

+32 (0)50 30 14 10