



STONE  
SENSES  
EXCLUSIVE COLLECTIONS

# Collection - 2020



**INSIDE  
OUTSIDE**



Headquarters in Oostkamp (Bruges), Belgium, founded in 2000 by Julien Vanhollebeke.

Over thirty years of experience in the world of stone and ceramics was used to establish joint ventures with various companies abroad. New products with special niches are created by combining knowhow and specialised machinery.

Today, Stone Consulting is active in Asia, including China, India, Vietnam and Indonesia, and in North Africa, including Tunisia and Morocco.

On our website you will find information about the products we currently stock in our warehouses. Customers can check our available stock online via the website and place their order in real time.



We have developed a unique track and trace system for customers who purchase containers directly from our various partners. This programme allows customers to track the containers from order to delivery by means of an online logbook. At our companies abroad, a team is permanently at your disposal to ship the materials in the fastest and most suitable conditions and deliver them to their final destination all over the world.

After a successful start in 2000, a new milestone was inevitable. In 2010, all the special materials were brought under the branch name 'STONE SENSES'.



Julien  
Vanhollebeke  
CEO, Founder



Fabrice  
Rogiers  
COO

Stone Consulting nv  
Gaston Roelandtsstraat 16  
8020 Oostkamp Belgium  
tel. +32(0)50 301410

info@stoneconsulting.eu  
www.stoneconsulting.eu

# New 2020

## Outside collection

<b>Introduction</b>	p.3 - 4
<b>Driveway - Packing - Pavers 3cm</b>	p.5
<b>Driveway - Chambal - Pavers 3cm</b>	p.6 - 7
<b>Driveway - Carbon Stone - Pavers 3cm</b>	p.8 - 10
<b>Driveway - Kandla Grey - Pavers 3cm</b>	p.11
<b>Driveway - Goldstone - Pavers 3cm</b>	p.12
<b>Driveway - Greystone - Pavers 3cm</b>	p.13
<b>Driveway - Brownstone - Pavers 3cm</b>	p.14
<b>Driveway - YL - Bluestone - Pavers 3cm</b>	p.15 - 16
<b>Driveway - Basalt - Pavers 3cm</b>	p.17 - 20
<b>Z.O.B. - Calima</b>	p.21 - 23
<b>Z.O.B. - Century H</b>	p.24
<b>Z.A.G. - Ourika</b>	p.25 - 26
<b>Yanis - Pavers</b>	p.27 - 28
<b>Indian Heritage</b>	p.29 - 30
<b>Colonial</b>	p.31 - 32
<b>Goldstone - Century N - Pavers18</b>	p.33
<b>Greystone - Century N - Pavers18</b>	p.34 - 35
<b>Brownstone - Century N - Pavers18</b>	p.36
<b>Strada</b>	p.37 - 38
<b>Bluestone - Wagner</b>	p.39
<b>Bluestone - Premium</b>	p.40
<b>Granite - Granida</b>	p.41 - 42
<b>Poolborders</b>	p.43 - 44
<b>Poolborders - Technical sheets</b>	p.45 - 46
<b>Ceramic - 60x60x2cm</b>	p.47 - 48
<b>Telescopic Support</b>	p.49 - 50
<b>Adjustable support</b>	p.51
<b>Level and spacers for tiles</b>	p.52


## Inside collection

<b>Introduction</b>	p.53 - 54
<b>Marble in a new dimension</b>	p.55 - 56
<b>Marmocino - Advantages</b>	p.57 - 58
<b>Terrazzo - Marmocino</b>	p.59 - 60
<b>Terrazzo - Marmocino - Nougat - Carrara</b>	p.61 - 62
<b>Marmocino - Click system</b>	p.63 - 64
<b>Terrazzo - Ultra Thin</b>	p.65 - 66
<b>Ultra Thin Flexible panel - 1mm</b>	p.67 - 70
<b>Ultra Thin Panel - XXXL Slabs</b>	p.71 - 72
<b>Ultra Thin Panels - Advantages</b>	p.73 - 74
<b>XXL Ultra Thin Panel - 2mm</b>	p.75 - 78
<b>Ultra Thin Slabs</b>	p.79 - 80
<b>Z.O.B. - Calima - Century H</b>	p.81 - 82
<b>Amazon Grey - Meknes</b>	p.83
<b>Z.O.B.</b>	p.84
<b>Kesra</b>	p.85 - 86
<b>Foussana</b>	p.87 - 88
<b>Dorsaf Beige</b>	p.89 - 90
<b>Dorsaf Gris</b>	p.91 - 92
<b>Dorsaf Gris - Non select - Select</b>	p.93 - 94
<b>Tripoly - Beige</b>	p.95
<b>Tripoly - Grey</b>	p.96
<b>Bluestone - Wagner</b>	p.97
<b>Bluestone - Premium</b>	p.98
<b>Indian Heritage</b>	p.99 - 100
<b>Download more brochures</b>	p.101 - 102
<b>General conditions</b>	p.103
<b>Installation and maintenance</b>	p.104
<b>General terms of orders</b>	p.105 - 106

# Outside - 2020



# Driveway - Pavers 3cm - Packing



16,7	40 cm	16,7	50 cm	16,7	30 cm
12,5	50 cm	12,5	30 cm	12,5	40 cm
12,5	30 cm	12,5	40 cm	12,5	50 cm
16,7	50 cm	16,7	30 cm	16,7	40 cm
12,5	40 cm	12,5	50 cm	12,5	30 cm
12,5	30 cm	12,5	40 cm	12,5	50 cm

90 cm

# Driveway - Pavers 3cm - Chambal



Chambal Beige - Century H - MC - 30-40-50x12,5-16,7x3cm

## Driveway - Pavers 3cm - Chambal



Chittor Multi - 14x20x3cm



Chittor Multi - 14x14x3cm

## Driveway - Pavers 3cm - Carbon Stone



Chittor Black - 14x20x3cm



Chittor Black 14x14x3cm

# Driveway - Pavers 3cm - Carbon Stone




Carbon stone - Paver - Century N



Carbon stone - Paver - Century N




Carbon stone - Paver - Century N



Carbon stone - Paver - Century N

# Driveway - Pavers 3cm - Carbon Stone



Carbon stone - Paver - Century N

## Driveway - Pavers 3cm - Kandla Grey



Kandla Grey - 30-40-50x12,5-16,7x3cm

## Driveway - Pavers 3cm - Goldstone



Goldstone Natural Tumbled MC - 30-40-50x12,5-16,7x3cm

# Driveway - Pavers 3cm - Greystone



Lime Grey MC - 30-40-50x10x3cm



Greystone Tumbled MC - 30-40-50x12,5-16,7x3cm

# Driveway - Pavers 3cm - Brownstone




Brownstone Tumbled MC - 30-40-50x10x3cm



Brownstone Century H MC - 30-40-50x12,5-16,7x3cm

# Driveway - Pavers 3cm - YL - Bluestone




YL - Bluestone - Bushhammered T - 12x12x3cm



YL - Bluestone - Bushhammered T - 12x12x3cm


# Driveway - Pavers 3cm - Basalt



# Driveway - Pavers 3cm - Basalt



Basalt - Century S




Basalt - Century H

Century N


Basalt - Century S - 20x20x3cm

# Z.O.B. - Calima\*



\* Ask our special prices for Z.O.B. - Century - H

# Z.O.B. - Calima\*



\* Ask our special prices for Z.O.B. - Century - H

# Z.O.B. - Calima



Special prices - container loads

# Z.O.B. - Century H



Special prices - container loads



Loft



Sirocco



Century



Ourika - Loft


# Yanis - Pavers

Own quarry



Special prices - container loads

# Indian Heritage



# Indian Heritage



Heritage Ashstone 56x86cm



Heritage Blackstone 60x90cm



Heritage Greystone 60x90cm



Heritage Goldstone 60x90cm

# Colonial



Colonial Black - 60x60x2,5cm



Colonial Grey - 60x60x2,5cm



Colonial Brown - 58x58x2,5cm

# Colonial



Colonial Black - 20x20x2,5cm



Colonial Grey - 20x20x2,5cm



Colonial Brown - 20x20x2,5cm

# Goldstone - Century N - Pavers 18



**Special prices - container loads**

Goldstone - Century N - Pavers - 18x18x2cm

# Brownstone - Century N - Pavers 18



**Special prices - container loads**


Brownstone - Century N - Pavers - 18x18x2cm

# Greystone - Century N - Pavers



Greystone - Century N - Pavers 18 - 18x18x2cm + Greystone - Century N 40x40x2cm

# Greystone - Century N - Pavers 18



**Special prices - container loads**

Greystone - Century N - Pavers - 18x18x2cm

# Strada



Gradia Grey - Natural



Gradia Gold - Natural

# Strada



Gradia Black - Natural



Gradia Brown - Natural

# Bluestone - Wagner




Wagner 20x5x5cm

# Bluestone - Premium



Premium 20x20x2cm

# Granite - Granida



Granite Dark - Sirocco



Granite White - Sirocco




Granida - Sirocco





G684 N - Sirocco

# Granite - Granida




# Poolborders



# Poolborders - Technical sheets

Swimming pool borders

CS19




▲=Flamed+1xBrushed (烧+刷1道)

●=Full Bullnosed & Honed (倒全圆+亚光)

Swimming pool Borders

CS27




▲=Flamed+1xBrushed(火烧+刷1道)

△=Honed (亚光)

Swimming pool Borders

CS8



▲=Flamed+1xBrushed(火烧+刷1道)

△=Honed (亚光)

X=chamfer 2mm (倒角2mm)

# Ceramic - 60x60x2cm



012342- Bluestone light

012341 - Miraj - White



012339 - Benito Black

009232 - Granite - Grey

# Ceramic - 60x60x2cm



012534 - Bluestone Natural

013004 - Hammerstone Nero



012897 - Silverstone - Grey

012886 - Basilea Grey

# Tegeldrager - 3D - Telescopic support

## Discription

3D-scopic tiles support with adjustable height from min. 35 to max. 500 mm according to the model.

Each box includes a self-leveling head equipped with 4 wings of 10 mm, to be used for slats of 4 mm. terminal leveling variable inclination from 0 to 5%

Adjustment of the support of 1,5 mm for each rotation of 90° (equal to 5 shots).

## Material

Made of PP (polypropylene).

## Application

Used in external areas, terraces, pavements.




# Tegeldrager - 3D - Telescopic support





# Inside - 2020



# Marble in a new dimension



# Terazzo specials - Advertising



## Terrazzo - Specials

### Ultra Thin


XXL Slabs 3000x1700x2mm

2mm thick



### Marmocino

Italian Terrazzo + Ceramic support



### E-Brochure



Scan the QR-code



Contact [j.vanhollebeke@stoneconsulting.eu](mailto:j.vanhollebeke@stoneconsulting.eu)




MARMOCINO

Marmocino offers the best of two worlds, being the uniqueness of marble the advantages of installation of ceramic tiles.



12 mm - 15 mm



Backside



**NEW 2020**



Standard sizes: 1600 x 3000mm, 800 x 800mm, 600 x 600 mm, 400 x 600 mm, 300 x 600 mm.



Project sizes: on request (delivery time 8 weeks)





MARMOCINO

## Advantage Marmocino

**40 x**  
More heat conduction




**30 x**  
Less breakage





**5 x**  
Better colour selection



**4 x**  
Faster installation



**3 x**  
Less weight



**2 x**  
Lower transport cost




# Terrazzo - Marmocino



## The advantages of installation of ceramic tiles

12 mm - 15 mm




### Sizes



Standard sizes: 600 x 1200mm, 800 x 800mm, 600 x 600 mm, 400 x 600 mm, 300 x 600 mm.

Project sizes: on request (delivery time 8 weeks)


# Terrazzo - Marmocino




Millinium



Carrara



Nougat




Etna



Valentino



Grey



# Marmocino - Terrazzo - Nougat




Terrazzo - Nougat - 80x80x1.5cm

# Marmocino - Terrazzo - Cararra



Terrazzo - Cararra - 80x80x1.5cm

# Marmocino - Click system




# Marmocino - Click system



# Terrazzo - Ultra thin



**Solid as a rock, light as a feather**




**Lightweight and strong results  
Fast and easy installation**

**XXXL SLABS**

**3000x1700mm**

# Terrazzo - Ultra thin



Ultra thin flexible panel - 1mm - 60x120cm

Ultra thin flexible panel - 1mm - 60x120cm



# Ultra thin flexible panel - 1mm - 60x120cm



# Ultra Thin Panel - XXXLSlabs - 3000x1700mm

**Flexible and strong!**

**Real Marble!  
2 and 3 mm  
thickness.**

**watch video**

**'Everything you can  
Imagine is real.'**  
Pablo Picasso

# Ultra Thin Panel - Advertising



**Lift marble to  
a higher level**

2mm thickness

**S STONE  
SENSES**  
EXCLUSIVE COLLECTIONS

## Slabs - Ultra Thin

A dream of every craftsman - No muscles required



**E-Brochure**



Ultra Thin Panel



Marmopanel

Contact: [www.marmopanel.com](http://www.marmopanel.com) - [www.stoneconsulting.eu](http://www.stoneconsulting.eu)

Powered by: [j.vanhollebeke@stoneconsulting.eu](mailto:j.vanhollebeke@stoneconsulting.eu)

## What are ultra thin panels ? A dream of every craftsman.

Ultra thin panels are made by fusing thin slabs of stones from first quality solid slabs.  
Are you hesitating in making a choice of appropriate surfacing material?  
ultra thin panel can be produced in an unlimited choice of limestone, sandstone and onyx.

Domestic and foreign high-end interior and building designers generally believe a new surfacing material should have the character of nature, be environmentally friendly, conserve energy and have stability, be lightweight, large in size and easy to install.  
Where can you find this kind of ideal surfacing material? It is called **ultra thin panel**.


## Why you should use ultra thin panels.

An ideal product for renovation that can withstand any price comparison with the traditional placement. Making noble real natural stones user-friendly is a response to the needs of architects and interior designers today.

- Easy and fast placement.
- Easy to clean and maintain.
- Easy and fast installation.
- Lightweight - almost unbreakable.

In these economic hard times, not only the price of the material is important, but also labour, budget and finishing time should be respected.

Using such large-size plates, ultra thin panel is an innovation that allows designers to finish their creations on a tight schedule. It is an ideal solution for all remodelling and rebuilding needs.



- Easy installation, small effort
- Lightweight and strong results
- Solid as a rock, light as a feather
- Fast and easy installation
- Almost unbreakable



# XXL Ultra thin panel - 2mm\*




\* Not possible on travertine - sandstone - granite.  
Pick up and installation always **vertical use**.

# XXL Ultra thin panel - 2mm\*



\* Not possible on travertine - sandstone - granite.  
Pick up and installation always **vertical use**.

# XXL Ultra thin panel - 2mm\*



\* Not possible on travertine - sandstone - granite.  
Pick up and installation always **vertical use**.

# XXL Ultra thin panel - 2mm\*



\* Not possible on travertine - sandstone - granite.  
Pick up and installation always **vertical use**.

# Ultra Thin Slabs




Ultra thin panel - Calacatta

Ultra thin panel - Terrazzo - Milinium

**XXXL - Slabs - 3000x1700mm - Thickness 3mm**

# Ultra Thin Slabs



Ultra thin panel - Onyx green

Ultra thin panel - Sahara brown


**XXXL - Slabs - 3000x1700mm - Thickness 3mm**

# Z.O.B. - Calima



Special prices - container loads

# Z.O.B. - Century H



Special prices - container loads

# Amazone Grey

# Meknes



# Z.O.B.



**Special prices - container loads**

**Special prices - container loads**



Honed



Manoir



Brushed



Century C



Honed

# Foussana



Manoir

# Foussana



Manoir



Brushed



Desert



Calima

# Dorsaf beige



Manoir




Brushed



Desert

# Dorsaf beige



Loft

# Dorsaf Gris



Manoir



Brushed




Desert



Tumbled

# Dorsaf Gris




Loft

# Dorsaf Gris - Non select



Manoir

# Dorsaf Beige - Select



Cathedrale

# Tripoly - Beige



Tripoly Beige - Ponto

Tripoly Beige - Calima



Tripoly Beige - Ancient

# Tripoly - Grey




Tripoly Grey - Calima




Tripoly Grey - Ancient

# Bluestone - Wagner



Wagner 20x5x5cm

# Bluestone - Premium



Premium 20x20x2cm

# Indian Heritage Dry surface



Heritage Ashstone 56x86cm



Heritage Blackstone 60x90cm



Heritage Greystone 60x90cm



Heritage Goldstone 60x90cm



# Indian Heritage Wet surface



Heritage Ashstone 56x86cm



Heritage Blackstone 60x90cm



Heritage Greystone 60x90cm



Heritage Goldstone 60x90cm



Download more brochures of our exclusive stones by clicking on the cover.



Download more brochures of our exclusive stones by clicking on the cover.



#### ETHICAL TRADING & HEALTHY ENVIRONMENT POLICY

- Employment is freely chosen with no forced, bonded or involuntary labor.
- Workers have the right to join or form trade unions of their own choice and to bargain collectively.
- A safe and healthy working environment is provided.
- Child labor is not engaged.
- Wages always enough to meet basic needs and to provide some discretionary income.
- Working hours are not excessive and comply with national laws and benchmark industry standards.
- Workers are treated equally regardless of race, caste, national origin, religion, age, gender, marital status sexual orientation, union membership or political affiliation.
- Regular employment for individuals is provided where work is ongoing.
- No harsh or inhumane treatment of workers.
- Physical abuse (or threat of) other harassment including verbal abuse or intimidation prohibited.

Owing a great deal to society, Our group firmly believes that 'human beings are at centre of all the developmental activities' and hence it discharges its social responsibility for welfare and well-being of the employees and society at large and at the same time encourages Employee Volunteering leading to employee's satisfaction and corporate sustainability.

# General conditons

## 1. General information relating to our products

Optical variations and nuances in colour may occur compared with the exhibited or illustrated products in our catalogue or on the exhibited sam- ples at our distributors. Changes in colour may occur due to climatological influences. Veins, pores and hairline cracks are an integral part of the surface of natural stone and are not a reason to complain or reject the products, or for a reduction in price. the names of the products are also in no way related to the geographical origin.

## 2. Information about specific products in our range

For all products delivered loose or in big bags, as well as all products delivered in crates, we can only give indicative gures calculated on the average or the indicative weight. Reasons beyond our control (such as rain, snow, irregular cobble thicknesses) may a ect the number of pieces per m<sup>2</sup> and the weight/tonne. We are therefore unable to accept any complaints if the di erence is less than 5% compared with the indications given by us. If the di erence is greater than 5% to the detriment of the customer, we can only accept your complaint with the approval of the sales department. For grey Kandla cobbles, it is possible that a er being installed, some of the cobbles display beige or brown marks. is is a natural phenomenon speci c to grey Kandla stone and does not a ect the quality of the stone. is phenomenon will quickly decrease a er several periods of frost.

Products of a certain length (such as marginal strips, palisades, steps, etc.) are more di cult to produce without minor repairs with a repair cement on a synthetic base. These minor repairs are perfectly acceptable in the world of natural stone and therefore give no grounds for complaint.

Honed tiles are much more susceptible to scratches. We therefore recommend using protective caps beneath your garden furniture, barbecue, etc.

## 3. Advice prior to ordering

An important tip: always order 5% more material than you have measured for.

there can be up to 5% breakage or dimensional variation in every order of natural stone. Broken tiles can always be used where cut tiles are required and are therefore not wasted. Be sure therefore to order extra to allow for this breakage. Any back-orders are entirely at the buyer's expense. Broken tiles should always be kept available. e larger the tiles, the more cutting may be required. Bear this in mind. An advance payment of 50% must be paid for orders of special custom work not in our normal range. Also, these special orders may not be cancelled.

Delivery dates for items not in stock are indicate and dependent on in uences over which Stone Consulting (Stone Senses) has no control. You are not entitled to cancel the order if these indicative delivery dates are exceeded.

To minimise colour and dimensional variations, we recommend installing orders in one go so that the work can be carried out in one go. For larger sites we recommend ordering 3 months in advance so that the material can be produced and delivered all at once.

## 4. Product returns

Collected or delivered products are never taken back, except in the case of an error on the part of Stone Consulting (Stone Senses).

Exceptions can only be allowed with the written consent of our sales department. All returned products are reduced by 20% in value and should be in perfect condition and in the original packaging. Any costs incurred by the return (transport, pallets in poor condition, etc.) are invoiced in full.

# Installation and maintenance.

## 1. Installation tips - **ATTENTION: INSTALLATION = ACCEPTANCE OF THE PRODUCTS**

Dimensional variations in relation to the locally prevailing standard may occur in natural stone. e national standards of the country of origin may di er from European standards. ere should not be any problems if the products are installed as prescribed by the BBRI in Belgium or other equivalent local regulations. e tiles should always be inspected and cleaned prior to installation. Once the product has been installed, no further complaints will be accepted. During installation, please always mix products from di erent packs together to obtain a natural variation in colour. Only white cement and pure washed sand must be used. Natural stone has a certain porosity, and the stones may discolour or display marks if yellow or red sand and grey cement are used. On a watertight base, always maintain a gradient of 1.5 cm / running metre. Complaints will only be considered if the complaint is visible from at least 2 metres without backlight and the products are dry.

Any complaints must be made in writing to Stone Consulting (Stone Senses) within 8 days of delivery.

We also recommend taking photos and not using these products. We consider the products to have been approved from the time they are installed, and from that point on we will also no longer accept any complaints due to visible defects.

Hidden or invisible complaints that cannot be identi ed on delivery are declared no longer admissible 3 months a er the date of delivery. Our teams can no longer visit the site without having rst received photos. Our many years of experience have taught us that many problems can be resolved straightaway over the phone with the help of photos and one or two useful questions.

## 2. Tips for joints

We always advise installing all stones with a joint of at least 4 mm. Any dimensional tolerances and stresses associated with di erences in tempera- ture can thus be avoided. If installing on split, a 2 mm joint is su cient. e choice of joint and joint sealer should be determined before installing the tiles. e base and joints should have the same porosity. If you opt for non- exible joints, expansion joints should be provided at each wall. For large terraces we recommend installing expansion joints every 5 metres. If you are planning a screed or caisson in concrete, you should also plan the same expansion joints as for your tiles.

We advise against adding aggregates to your joint mixture. Certain aggregates prevent moisture from evaporating and can therefore cause marks on your tiles.

Certain joint mortars leave traces on your tiles, so carry out a test before applying the mortar to the entire surface (see result a er 24 hours). In this way you will avoid unpleasant surprises when cleaning a er jointing.

## 3. Tips for installing certain products.

Travertine-type limestone for outdoor use (thickness 3 cm) is much more sensitive to meteorological changes and must therefore be glued accord- ing to the butter principle (i.e. glue bottom of tile and screed along both sides). e gradient of 1.5 cm per running metre must be maintained. For the joints we recommend ragging them with a ready-to-use product based on white cement, or with a mixture based on white cement. Ragging should be done with a puller to compact all the small holes in the tile. A er drying, we recommend applying a double protective coating to saturate all the pores in the tiles.

Cleaning should be with a nourishing non-acid soap of the Marseille type.

For lime rocks (e.g. bluestone, slate, travertine, etc.) we recommend installing these on a thin sand cement and never on a bed of gravel, which could break the stones. We strongly advise against installing these tiles on tile supports. If you are installing large tiles (more than 40/40) on tile supports, we recommend using an extra tile support in the centre beneath the tile.

Rustic tiles are aged in a drum instead of by vibration to give a rustic appearance. It is therefore normal for small pieces to have broken o the edges and surface.

## 4. Tips for maintenance

De-icing salts, acids or other aggressive products are not recommended on natural stone as they could damage the tiles irreparably.

We always recommend testing a maintenance or protective product on a small area rst (see the result a er 24 hours). ere are various types of natural stone and as many maintenance products that could damage your tiles.

Limestone (bluestone, slate, travertine, etc.) ages much more quickly than harder types of stone such as sandstone or granite. Limestone therefore requires more maintenance if you want to prevent the rapid ageing of your stone or the emergence of tiny hairline cracks. To counter this ageing process, the stone must be nourished with speci c maintenance products for natural stone or with a natural soap (Marseille soap).

Besides this classic but necessary maintenance, you can gently scour your terrace every 4 years. is ensures that the pores are largely compacted (so fewer scratches appear) and the colour is refreshed. However, the tiles still require regular maintenance and nourishment. The Stone Consulting (Stone Senses) guarantee is limited to technical defects, provided a minimum degree of maintenance is observed. Stone Consulting (Stone Senses) cannot be held responsible for the aesthetic development of your project. All materials (natural or other) should receive normal maintenance to maintain their beauty.

# General terms of orders

## GENERAL TERMS OF ORDERS

According to information mentioned hereby (on this side or the reverse side) we have established this order .... Form as .... Our Sales conditions. All prices mentioned are VAT and packing exclusive. In case of quantities below 50 m<sup>2</sup>, a supplement will be charged as per our price list. The delivery time will be defined as accurately as possible. However, we cannot be held liable for any delays caused by force majeure or overdue invoices. Consequently we do not have any responsibility for any damages. We can deliver slabs (if you are in the regions defined in our price list) with a minimum quantity of 10 pieces or less provided a supplement is paid. We will invoice packing of tiles per crate and or pallet as per the conditions in our price list. Overordered or wrongly ordered goods will not be taken back. Custom work will be packed to allow for safe transportation. These costs. At a minimum rate as per our price list, cannot be recovered or credited. All delivery addresses need to be fully accessible by our 33 ton truck measuring 19m. Discharging our truck is only done from a paved road. Any other delivery conditions or expectations will be, if at all feasible, charged at an extra cost. In case of orders of goods that are not currently stocked or that have a delivery time of over 4 weeks, we may ask you to pay a deposit of 50% of the total value. The remainder needs to be paid upon delivery without discount. Orders for not currently stocked products cannot be changed or cancelled after one week of order confirmation. Please do not change the Pro Forma invoice, otherwise we may refuse these changes without prior notice. Confirmed orders will be binding without further notice after 5 working days. In case of cancellation we will invoice 30% of the total value in case of stock goods and 100% of the total value in case of custom work and not currently stocked products with a minimum of 370 €.

## GENERAL TERMS OF SALE

1. Orders are considered to be definitive after written confirmation by our company. It is explicitly agreed upon that all pre-printed terms and conditions on the order forms of our customers, even if they expressly refer to the present order form, shall be considered non accepted unless they are subject to a special agreement made in written on beforehand.
2. The goods are transported at the risk of the purchaser, even in case of Franco delivery.
3. Control of the goods is made by the purchaser before loading in the case of collection of the goods (ex Works) and shall be done at the latest at the moment of delivery (unloading). Complaints shall not be accepted afterwards.
4. All other complaints, ... referring to invoices, shall be made within eight days of the invoicing date and can not be accepted after this term.
5. Each sale is made under reserve of good references. We shall always be entitled, during the course of the agreement, to claim and obtain satisfactory guarantees for the good execution of the Sales agreement.
6. Measurements and colours are indicative and a difference shall be tolerated against samples or between deliveries as long as these differences are within the fixed WTCB norms. We advise to mix the tiles before installation, so as to obtain the best possible colour harmony. Complaints as to colour differences or other defects shall never be admitted after installation of the tiles.
7. All our invoices are cash payable, in Oostkamp, unless otherwise agreed upon (in written). Sending the invoice is valid as a reminder against payment on the due date. Any delay in payment may consequent in immediate and irreversible judicial collection of the due sum, increased by 1% interest per started month.
8. Our agents and representatives are not be entitled to take payments and the amounts paid to those persons shall not be considered as due payment to the seller.
9. All costs for collection, including judicial and extra-judicial notices, shall be paid by the purchaser according to the latest EU legislation.
10. Default of payment on the maturity date shall entitle us, without any notice or other juridical forms, to suspend all orders and agreements in course, even to cancel them without any previous notice. The seller shall be entitled to take property of the goods, even after delivery, until full payment of the invoice. After processing of the goods, our property rights pass on to the new objects for the value of the goods supplied by us.
11. Any defect ascertained in our product scan result in nothing more than the mere replacement of the delivered and not processed goods. The replaced goods remain our property.
12. All goods subject to be taken back need to be in good condition and will only be credited at 75% of their invoiced value provided the explicit approval of our management staff. Goods that are not standard in stock, all granites and all processed stones are never taken back. We will also refuse any quantities amounting to a Total of less than 250 €. Only goods that are totally free from mortar or glue residue, that have not been cut, will be credited after warehouse inspection. This may cause a discrepancy in the Total number of goods taken back and the final credit note, these goods that are not included to the Total amount of the credit note, will remain in our warehouse for another 4 weeks for the customer to be collected. After this period these goods will be destroyed. Taking goods back will be conditional in all cases. Our drivers and warehouse staff are not entitled to Judge if goods are subject to be taken back. In case of refusal to take back the goods, these will

remain at your availability for a period of 4 weeks after written notice. After this term the goods will be destroyed.

13. In default of payment at the maturity date due to negligence or bad will, the outstanding balance shall be increased as of right with 15 % and a minimum of €100 as a conventional damage clause and without any previous notice being required.

14. The purchaser is considered to know our general terms of sale and by the mere fact of purchasing the goods is considered to have accepted them as part of the agreement.

15. All disputes related to the existence and the ..... Of our agreements shall be exclusively settled by the Courts of Brugge, Belgium.

16. We can not be held responsible for the consequence of our tiles if they are installed on floor-heating and spaces open to frost.

17. For between customer (buyer) and STONE CONSULTING NV (seller) it is explicitly agreed that the liability on the delivered goods by STONE CONSULTING NV is limited to all proven defects to its products, more precisely on the hidden flaws, to a maximum period of 24 months after delivery date. After a period of 24 months from installation date, no claim of any kind will be accepted nor be subject for discussion. After this period any connection between buyer and seller will be considered to be completely terminated and finalised for this particular Sales. In case of proven damage, within a period of 24 months from delivery date, due to a hidden fault, a maximum compensation from the seller to the buyer will be the replacement of the product or an equal value. No other additional cost and/or costs due to consequential damages will be subject to compensation.

18. Pieces made by us (tailor made) shall be invoiced per square, cubic or linear metre. All finishing's to the surface and sides are not included and will be invoiced separately.

19. For complementary terms and conditions please refer to our basic price list on the pages where to the invoices and other forms always considered to be known by the purchaser. The basic price list having been handed over to the purchaser.

20. Belgium law is applicable.





# STONE SENSIES

EXCLUSIVE COLLECTIONS

Member of



belgian natural stone federation



Powered by:

[www.stoneconsulting.eu](http://www.stoneconsulting.eu)

[info@stoneconsulting.eu](mailto:info@stoneconsulting.eu)

+32 (0)50 30 14 10

Contact:

Julien Vanhollebeke +32 475 389571

Fabrice Rogiers +32 479 530969